CERTIFICATE OF ANALYSIS

EPITALON 50MG · 2022.OPT.261104-R1-WL01

Scan to Verify COA Authenticity



SAMPLE INFORMATION

Sample Name: Epitalon 50mg
Sample ID: 2022.OPT.261104
Client: Pristine Aminos
Sample Matrix: Lyophilized Peptide
Manufactured Date: October 25, 2026
Received Date: November 4, 2026

Tested Peptide: EPITALON 50MG
Lot Number: 20261021-3
Manufactured By: Pristine Aminos
Intended Use: Research Use Only
Expiration Date: October 25, 2028
Report Date: November 11, 2026

NET CONTENT	PURITY	ENDOTOXIN
52.5 MG/VIAL	99.80%	PASS
HPLC	RP-HPLC	LAL

RESULTS SUMMARY

TEST PANEL	METHOD	SPECIFICATION	RESULT	STATUS
Net Content	HPLC	-	52.5 mg/vial	TESTED
Purity	RP-HPLC	≥ 95%	99.80%	TESTED
Endotoxin	LAL	≤ 0.05 EU/mg	Pass	PASS

QUALITY GUARANTEED

Analyst
Bryan Zahakaylo
Date: November 11, 2026

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, and LOQ = Limit of Quantitation. Results reported herein relate only to the specific sample tested. Optiq Health Labs, LLC makes no claims regarding the efficacy, safety, suitability, purity, sterility, or other risks associated with any detected or non-detected compounds, analytes, or reported values. This Certificate of Analysis shall not be reproduced except in full, without the written approval of Optiq Health Labs, LLC. This Certificate of Analysis is limited to the sample received and tested by the laboratory and does not represent or warrant the quality, composition, or characteristics of any other sample, lot, batch, product, or material. Any statements, representations, labeling, or claims regarding the intended use, application, or purpose of the tested material are solely those of the client and do not constitute, imply, or reflect any recommendation, endorsement, certification, or intended use determination by Optiq Health Labs, LLC.

info@optiqhealthlabs.com (949) 841-2437 www.optiqhealthlabs.com 1920 E Warner Avenue Unit N, Santa Ana CA, 92705